

Contemporary Explorations in Cross-Disciplinary Knowledge Systems, Collaborative Investigations, and Advanced Scholarly Developments

Received: 29 Aug 2026

Revised: 16 Sep 2026

Accepted: 24 Sep 2026

Published: 02 Oct 2026

Volume 03 **Issue** 10, 2026

Page No - 01-08

DOI: -10.64917/fems/Vol3Iss10-01

Article Citation: Costa, D. R. H. M. (2026). Contemporary Explorations in Cross-Disciplinary Knowledge Systems, Collaborative Investigations, and Advanced Scholarly Developments. *Frontiers in Emerging Multidisciplinary Sciences*, 3(10), 01–08. <https://doi.org/10.64917/fems/Vol3Iss10-01>

Copyright: © 2026 The Authors. Published by FEMS under the Creative Commons CC BY License

Dr. Rafael Henrique Moreira Costa

Institute for Advanced Multidisciplinary Studies and Innovation (IAMSI),
Department of Integrated Sciences and Research Development, Brazil

Abstract

The rapid expansion of digital information environments has transformed knowledge creation, representation, and utilization across multiple academic and technological disciplines. Contemporary research increasingly depends on cross-disciplinary knowledge systems that integrate concepts from artificial intelligence, natural language processing, knowledge representation, computational linguistics, and collaborative scholarly frameworks. This research paper explores the evolution, theoretical foundations, technical mechanisms, and practical implications of advanced knowledge systems that enable interdisciplinary investigations and intelligent information processing. The study examines how knowledge graphs, representation learning, entity recognition, relation extraction, and collaborative computational models contribute to the development of integrated scholarly ecosystems.

The research adopts a conceptual analytical methodology based on synthesis of established studies concerning knowledge representation, embedding techniques, named entity recognition, and relational modeling. The analysis investigates the transition from traditional information retrieval approaches toward intelligent knowledge discovery systems capable of modeling complex relationships among entities, concepts, and domains. Knowledge representation learning approaches have demonstrated significant potential in improving machine understanding of structured and unstructured information by transforming semantic relationships into computational models (Liu et al., 2016). Similarly, knowledge graph technologies have emerged as important infrastructures for organizing heterogeneous information resources and supporting advanced analytical processes (Development Report of Knowledge Graph in 2018, 2018).

The findings indicate that cross-disciplinary knowledge systems provide significant advantages through enhanced information integration, improved semantic understanding, and support for collaborative research activities. Techniques such as translation-based embeddings, neural architectures, and deep learning-driven relation extraction contribute to increasingly sophisticated knowledge modeling capabilities (Bordes et al., 2013; Lample et al., 2016). However, challenges remain regarding scalability, domain adaptation, data quality, interpretability, and the representation of emerging knowledge domains.

This study argues that future scholarly developments will depend on hybrid knowledge architectures combining human expertise with intelligent computational systems. Such systems can facilitate interdisciplinary collaboration, accelerate scientific discovery, and create new approaches for managing complex knowledge landscapes. The research contributes a theoretical and technical perspective on the role of advanced knowledge systems in shaping future academic investigations and digital scholarship.

Keywords: Knowledge systems; Knowledge graphs; Knowledge representation learning; Cross-disciplinary research; Artificial intelligence; Named entity recognition; Relation extraction; Collaborative knowledge discovery; Semantic modeling.

1. Introduction

The contemporary academic landscape is characterized by increasing complexity, rapid information growth, and growing interdependence among research disciplines. Traditional disciplinary boundaries are becoming insufficient for addressing complex scientific, technological, and societal challenges that require integration of knowledge from multiple domains. As a result, cross-disciplinary knowledge systems have emerged as essential mechanisms for organizing, connecting, and analyzing diverse information resources. These systems combine computational intelligence with scholarly methodologies to support knowledge discovery, collaborative investigations, and advanced analytical processes.

A fundamental challenge in modern research environments is the transformation of massive heterogeneous information sources into meaningful and structured knowledge. Digital publications, databases, institutional repositories, and online resources contain valuable information; however, extracting relationships, identifying relevant concepts, and generating new insights require advanced computational approaches. Knowledge representation technologies attempt to address this challenge by constructing computational models that capture relationships between entities, concepts, and contextual information. Knowledge representation learning has become a significant research direction because it enables machines to understand semantic relationships through mathematical representations of knowledge structures (Liu et al., 2016).

Knowledge graphs represent one of the most influential developments within this field. By organizing information into interconnected networks of entities and relations, knowledge graphs provide a foundation for intelligent search, recommendation systems, scientific analysis, and automated reasoning. The development of knowledge graph technologies reflects a shift from isolated data

management toward interconnected knowledge ecosystems capable of supporting complex decision-making processes (Development Report of Knowledge Graph in 2018, 2018). Unlike conventional databases that primarily store explicit information, knowledge graphs attempt to represent implicit relationships and support knowledge inference.

The problem addressed in this research is that contemporary knowledge environments remain fragmented despite advances in artificial intelligence and computational methods. Different disciplines often use distinct terminologies, methodologies, and conceptual structures, creating barriers to effective knowledge exchange. Furthermore, automated systems continue to face difficulties in understanding ambiguous language, extracting meaningful relationships, and adapting knowledge models across different domains. Addressing these challenges requires integrated approaches combining linguistic analysis, machine learning, knowledge representation, and collaborative research frameworks.

The importance of this research lies in examining how advanced computational techniques contribute to the development of interdisciplinary knowledge systems. Entity recognition and relation extraction methods provide essential capabilities for transforming textual information into structured knowledge. For example, named entity recognition systems identify significant entities such as organizations, scientific concepts, and technical terms, while relation extraction techniques determine connections between these entities. Neural approaches have improved these processes by enabling models to learn complex linguistic patterns from large datasets (Lample et al., 2016; Zeng et al., 2015).

The primary objective of this paper is to analyze contemporary developments in cross-disciplinary knowledge systems through theoretical and technical perspectives. The study investigates the foundations of knowledge representation, examines computational approaches for knowledge extraction, evaluates their contribution to collaborative scholarly development, and identifies limitations affecting future implementation.

The scope of this research focuses on knowledge graphs, embedding-based representations, entity recognition, and relation extraction methods discussed within the provided literature. The study does not attempt to examine all artificial intelligence applications but specifically explores technologies that enable knowledge integration and interdisciplinary information processing.

The significance of this research extends beyond technological advancement. Advanced knowledge systems have implications for scientific collaboration, educational innovation, organizational intelligence, and evidence-

based decision-making. By connecting fragmented knowledge resources, these systems can support researchers in discovering hidden relationships, generating interdisciplinary insights, and developing new theoretical perspectives. However, achieving these objectives requires addressing challenges related to knowledge completeness, computational complexity, transparency, and human-machine collaboration.

2. Literature Review

Research on contemporary knowledge systems has developed through several interconnected areas, including knowledge representation, knowledge graph construction, semantic embedding, entity recognition, and relation extraction. The provided literature demonstrates a progression from symbolic knowledge modeling toward data-driven computational approaches capable of learning complex relationships.

Early developments in knowledge representation emphasized the importance of modeling entities and relations in structured formats. Recent approaches have expanded this concept through representation learning, where entities and relationships are transformed into numerical vectors that allow computational systems to measure semantic similarity and infer missing connections. Bordes et al. introduced translation-based embedding methods for modeling multi-relational data, demonstrating that relationships between entities can be represented through mathematical transformations in vector spaces (Bordes et al., 2013). This approach influenced subsequent knowledge graph completion techniques.

Knowledge graph embedding research further advanced these ideas by developing models capable of predicting unknown relationships within large knowledge networks. Wang et al. proposed translation-based approaches using hyperplane structures, improving the ability of systems to represent complex relational patterns (Wang et al., 2014). Similarly, Lin et al. explored entity and relation embeddings for knowledge graph completion, highlighting the importance of distributed representations in addressing incomplete knowledge structures (Lin et al., 2015).

Theoretical reviews of knowledge representation learning emphasize its role in connecting machine learning with structured knowledge systems. Liu et al. examined major approaches in representation learning and identified challenges involving semantic preservation, scalability, and practical deployment (Liu et al., 2016). These studies indicate that computational representation is not merely a technical process but a fundamental method for enabling intelligent knowledge discovery.

Another important research direction involves extracting structured knowledge from unstructured text. Named entity recognition serves as a critical foundation because accurate identification of entities determines the quality of subsequent knowledge construction. Han et al. investigated Chinese named entity recognition using conditional random fields while considering linguistic characteristics specific to Chinese language structures (Han et al., 2013). This research highlights the importance of adapting computational methods to domain and language-specific requirements.

Neural architectures have further transformed entity recognition by reducing dependence on manually designed features. Lample et al. demonstrated that neural sequence models could effectively perform named entity recognition by automatically learning relevant representations from textual data (Lample et al., 2016). These developments illustrate the broader movement toward deep learning-based knowledge extraction systems.

Relation extraction research has similarly progressed from traditional statistical methods toward advanced neural approaches. Riedel et al. investigated relation extraction through matrix factorization and universal schemas, emphasizing the importance of integrating multiple relational information sources (Riedel et al., 2013). Santos et al. explored convolutional neural network-based relation classification, demonstrating improved performance through deep feature learning (Santos et al., 2015). Zeng et al. further developed distant supervision methods using piecewise convolutional neural networks to address large-scale relation extraction challenges (Zeng et al., 2015).

Although these studies have significantly advanced knowledge system development, several research gaps remain. Existing methods often struggle with domain transfer, interpretability, incomplete information, and the integration of heterogeneous knowledge sources. Additionally, technical improvements have not fully resolved the challenge of creating collaborative knowledge environments where researchers from different disciplines can effectively interact with computational systems.

Therefore, the theoretical positioning of this research is that advanced knowledge systems should be understood as integrated socio-technical frameworks rather than isolated computational tools. The combination of knowledge representation, intelligent extraction, and collaborative investigation provides a foundation for future scholarly ecosystems.

3. Methodology

This research adopts a conceptual analytical methodology to investigate contemporary cross-

disciplinary knowledge systems through the integration of theoretical models, computational frameworks, and technological developments presented in the selected literature. Rather than evaluating a single implementation, the study synthesizes existing approaches related to knowledge representation, knowledge graph construction, entity recognition, relation extraction, and embedding-based learning. The methodology is designed to identify functional relationships among these technologies and analyze their collective contribution to advanced scholarly knowledge environments.

The research framework consists of four interconnected analytical dimensions: knowledge acquisition, knowledge representation, knowledge integration, and knowledge-driven collaboration. These dimensions represent the fundamental processes through which raw information is transformed into structured and actionable knowledge.

3.1 Knowledge Acquisition Framework

Knowledge acquisition represents the initial stage in developing intelligent knowledge systems. It involves extracting meaningful information from unstructured and structured sources, including academic publications, digital archives, databases, and organizational repositories. Since contemporary scholarly information is predominantly expressed through natural language, computational understanding of textual content becomes essential.

Named entity recognition (NER) functions as a primary mechanism within this framework. NER identifies important knowledge elements such as researchers, institutions, technologies, theories, and scientific concepts. Traditional approaches relied heavily on linguistic rules and manually engineered features, but advanced neural architectures have improved adaptability and performance by learning contextual patterns automatically (Lample et al., 2016).

For example, within a biomedical research environment, an intelligent knowledge system may identify entities such as diseases, medications, genes, and clinical methods from thousands of research articles. These extracted entities can then become nodes within a knowledge graph. However, the effectiveness of this process depends on domain-specific adaptation, because terminology and semantic structures vary significantly across disciplines.

Conditional random field-based approaches demonstrated the importance of contextual modeling in entity recognition, particularly for languages with complex linguistic characteristics (Han et al., 2013). This indicates that knowledge acquisition systems must consider both

computational efficiency and linguistic diversity when operating across international and interdisciplinary research environments.

3.2 Knowledge Representation and Embedding Model

After acquiring information, knowledge systems require mechanisms for representing relationships among entities. Knowledge representation provides the theoretical foundation for converting human knowledge into machine-processable structures. Modern approaches increasingly utilize distributed representation methods, where entities and relationships are encoded as numerical vectors.

Knowledge graph embedding methods have become central to this process because they enable systems to calculate similarities, predict missing relationships, and discover hidden patterns. Translation-based embedding models represent relationships as transformations between entity vectors. Bordes et al. demonstrated that relational structures could be modeled through vector operations, allowing effective representation of multi-relational knowledge (Bordes et al., 2013).

A simplified representation can be expressed as:

$$\text{Entity A} + \text{Relationship} \approx \text{Entity B}$$

This principle allows computational systems to identify whether a potential relationship is consistent with existing knowledge patterns. For example, if a knowledge graph contains relationships between researchers, universities, and publications, embedding models can estimate possible missing connections, such as identifying potential collaboration networks.

Wang et al. expanded translation-based embedding approaches by introducing hyperplane-based modeling, improving the ability to represent complex relational structures (Wang et al., 2014). Similarly, Lin et al. examined embedding methods for knowledge graph completion and demonstrated their value in predicting incomplete relationships (Lin et al., 2015).

However, representation learning also introduces challenges. Numerical embeddings improve computational processing but may reduce human interpretability because the semantic meaning of vector dimensions is not always transparent. Therefore, future knowledge systems require methods that balance predictive capability with explainability.

3.3 Relation Extraction and Knowledge Integration

Knowledge integration requires identifying relationships between extracted entities. While entity recognition determines “what” exists within information

resources, relation extraction determines “how” these elements are connected.

Traditional relation extraction methods depended on statistical classification techniques, while recent developments have incorporated deep learning approaches. Riedel et al. proposed relation extraction methods based on matrix factorization and universal schemas, demonstrating the potential of combining multiple relational sources into unified models (Riedel et al., 2013).

Deep neural approaches have further improved relation classification by automatically learning complex textual features. Santos et al. investigated convolutional neural networks for relation classification and demonstrated that ranking-based neural approaches could improve semantic relationship identification (Santos et al., 2015). Similarly, Zeng et al. addressed large-scale relation extraction challenges through distant supervision combined with piecewise convolutional neural networks (Zeng et al., 2015).

A practical example can be observed in academic knowledge networks. A system analyzing research publications may extract relationships such as “author published paper,” “paper introduces method,” or “method improves application.” These connections create a dynamic scholarly knowledge graph that supports literature discovery and interdisciplinary collaboration.

Nevertheless, relation extraction remains limited by ambiguity, incomplete information, and dependency on training data quality. A phrase may represent different meanings across disciplines, requiring systems to incorporate contextual understanding and domain knowledge.

3.4 Collaborative Knowledge System Framework

The final methodological dimension concerns the transformation of computational knowledge structures into collaborative research environments. A modern scholarly knowledge system should not only store information but also facilitate interaction among researchers, institutions, and intelligent agents.

Knowledge graphs provide a foundation for such systems because they connect fragmented information resources into integrated networks. The development of knowledge graph technologies demonstrates the increasing importance of structured semantic connections for information management and intelligent applications (Development Report of Knowledge Graph in 2018, 2018).

A collaborative knowledge environment may support researchers by recommending relevant studies, identifying

potential interdisciplinary connections, and revealing unexplored research relationships. For instance, a computer scientist working on machine learning applications in healthcare could discover related medical research through automatically generated knowledge connections.

The methodology therefore conceptualizes advanced knowledge systems as hybrid frameworks where artificial intelligence enhances, rather than replaces, human intellectual activities. Human researchers provide interpretation, theoretical understanding, and ethical judgment, while computational systems provide large-scale analysis and pattern discovery.

3.5 Analytical Model and Evaluation Perspective

The proposed analytical model evaluates cross-disciplinary knowledge systems according to five criteria:

First, **knowledge accuracy**, referring to the reliability of extracted and represented information.

Second, **semantic integration capability**, measuring how effectively different knowledge domains can be connected.

Third, **scalability**, examining whether systems can process continuously expanding information environments.

Fourth, **interpretability**, assessing whether users can understand system-generated knowledge relationships.

Fifth, **collaborative effectiveness**, evaluating how systems support interdisciplinary research practices.

This framework highlights that technological performance alone is insufficient for successful knowledge system development. Advanced scholarly systems must simultaneously address computational, epistemological, and collaborative requirements.

4. Results

The analytical investigation reveals several significant patterns regarding the development and application of contemporary cross-disciplinary knowledge systems.

The first major finding is that knowledge representation has shifted from static information storage toward dynamic relationship modeling. Earlier information systems primarily focused on retrieving explicit data, whereas modern knowledge systems attempt to discover implicit connections among concepts and entities. Embedding-based approaches demonstrate that mathematical representations can capture complex relational structures and support knowledge prediction tasks (Bordes et al., 2013; Lin et al., 2015).

The second finding concerns the importance of integrated knowledge extraction pipelines. Entity recognition and relation extraction cannot function effectively as isolated processes. Instead, they operate as interconnected components within knowledge construction frameworks. Accurate entity identification improves relationship extraction, while reliable relational modeling enhances the overall quality of knowledge graphs.

The analysis indicates that neural approaches have significantly expanded the capabilities of knowledge acquisition systems. Deep learning-based methods reduce dependency on manually designed linguistic features and enable models to adapt to complex textual patterns. Neural architectures for named entity recognition demonstrate how representation learning can improve information extraction performance across diverse contexts (Lample et al., 2016).

A third finding is that knowledge graphs provide an essential infrastructure for interdisciplinary collaboration. By representing information through interconnected entities and relationships, knowledge graphs allow researchers to navigate complex knowledge environments more effectively. The development of knowledge graph technologies reflects a broader movement toward intelligent information ecosystems capable of supporting advanced analytical tasks (Development Report of Knowledge Graph in 2018, 2018).

However, the research also identifies persistent limitations. Knowledge systems remain vulnerable to incomplete data, inconsistent terminology, and domain-specific ambiguity. While embedding models improve predictive capability, they often provide limited explanations regarding why particular relationships are generated. This creates challenges in fields where transparency and accountability are critical.

Another important finding is that successful knowledge systems require balance between automated intelligence and human expertise. Computational models are effective at processing large-scale information and identifying hidden patterns, but human researchers remain essential for evaluating theoretical significance and contextual validity.

Overall, the findings demonstrate that cross-disciplinary knowledge systems represent a transformation in scholarly infrastructure. Their value lies not only in information organization but also in enabling new forms of scientific collaboration, discovery, and intellectual integration.

5. Discussion

The findings of this study demonstrate that contemporary cross-disciplinary knowledge systems represent a significant transformation in the organization, analysis, and generation of scholarly knowledge. These systems combine artificial intelligence techniques, semantic modeling approaches, and collaborative research frameworks to overcome limitations associated with fragmented information environments. The discussion highlights the theoretical implications, practical applications, technological challenges, and future directions associated with these developments.

From a theoretical perspective, the emergence of knowledge representation learning indicates a transition from manually constructed knowledge structures toward adaptive computational models. Traditional knowledge systems depended largely on predefined schemas created by human experts, which often limited scalability and adaptability. In contrast, embedding-based approaches allow systems to learn patterns directly from large-scale data, enabling more flexible knowledge discovery. Research on knowledge representation learning demonstrates that distributed representations can capture complex semantic relationships and support reasoning over incomplete knowledge structures (Liu et al., 2016).

However, this transition introduces an important theoretical challenge: the relationship between computational representation and human understanding. Although vector-based models effectively identify statistical relationships among entities, the internal meaning of these representations is often difficult for humans to interpret. This creates a tension between predictive accuracy and explainability. In academic environments, where theoretical justification and evidence-based reasoning are essential, knowledge systems must provide not only accurate results but also understandable explanations.

The findings also emphasize the importance of knowledge graphs as infrastructures for interdisciplinary research. Knowledge graphs provide mechanisms for connecting diverse information sources, enabling researchers to identify relationships that may remain invisible within traditional disciplinary structures. The development of knowledge graph technologies reflects this movement toward integrated knowledge environments capable of representing complex relationships across multiple domains (Development Report of Knowledge Graph in 2018, 2018).

A practical implication of this development is the potential improvement of scholarly collaboration. Researchers increasingly encounter challenges in managing extensive literature, identifying relevant studies, and discovering connections between specialized fields. Intelligent knowledge systems can support these activities

by organizing research information, recommending related concepts, and revealing potential collaboration opportunities. For example, a researcher working on artificial intelligence applications may discover relevant methodologies from another discipline through automatically generated semantic connections.

The technical analysis also reveals that knowledge extraction remains a critical challenge. Named entity recognition and relation extraction provide the foundation for constructing knowledge systems, but errors at these stages can influence the reliability of the entire knowledge structure. Neural approaches have improved extraction capabilities, yet they continue to face difficulties related to ambiguous language, insufficient training data, and domain variation. The effectiveness of named entity recognition depends significantly on contextual understanding and adaptation to specific linguistic characteristics (Han et al., 2013; Lample et al., 2016).

Relation extraction methods present similar challenges. Although convolutional neural network-based approaches have improved relationship classification performance, large-scale extraction systems still require mechanisms for managing uncertain or conflicting information. Studies on distant supervision demonstrate the potential of automatically generating training data but also highlight problems associated with noisy annotations (Zeng et al., 2015).

The comparison with existing literature indicates that current research has successfully advanced individual components of knowledge systems but requires greater integration among these components. Knowledge representation, entity extraction, and relation modeling are frequently studied independently, whereas real-world scholarly environments require unified architectures combining all processes.

Several limitations must also be acknowledged. First, computational knowledge systems depend heavily on the availability and quality of digital information. Incomplete or biased datasets may result in incomplete or inaccurate knowledge representations. Second, domain-specific knowledge remains difficult to integrate because different disciplines employ unique conceptual frameworks and terminologies. Third, ethical considerations regarding automated knowledge generation, intellectual ownership, and algorithmic bias require further investigation.

Future research should therefore focus on developing explainable knowledge systems capable of combining machine intelligence with human expertise. Hybrid approaches integrating symbolic reasoning, neural learning, and collaborative human feedback may provide more reliable and transparent scholarly environments. Such systems could support not only information retrieval

but also advanced forms of knowledge synthesis and scientific innovation.

6. Conclusion

This research examined contemporary explorations in cross-disciplinary knowledge systems, collaborative investigations, and advanced scholarly developments through analysis of knowledge representation, knowledge graphs, entity recognition, relation extraction, and embedding-based computational approaches. The study demonstrates that modern knowledge systems are evolving beyond traditional information management frameworks toward intelligent environments capable of integrating heterogeneous knowledge resources and supporting interdisciplinary discovery.

The research identified that knowledge representation learning provides a fundamental technological foundation for constructing intelligent knowledge ecosystems. Embedding approaches enable computational systems to model relationships among entities, predict missing information, and discover hidden patterns within complex datasets. Translation-based models and knowledge graph completion methods have contributed significantly to improving machine understanding of relational structures (Bordes et al., 2013; Wang et al., 2014; Lin et al., 2015).

The study further established that knowledge acquisition technologies, particularly named entity recognition and relation extraction, are essential components in transforming unstructured information into structured knowledge. Neural approaches have enhanced the ability of systems to process complex textual information, while relation extraction methods have expanded opportunities for large-scale knowledge construction (Lample et al., 2016; Santos et al., 2015).

The primary contribution of this research is the conceptualization of advanced knowledge systems as integrated socio-technical frameworks rather than isolated computational technologies. Such systems combine machine learning capabilities with human expertise to facilitate knowledge discovery, interdisciplinary collaboration, and scholarly innovation. The integration of computational intelligence with academic investigation creates opportunities for addressing increasingly complex research problems that cannot be solved within traditional disciplinary boundaries.

Despite significant progress, several challenges remain. Future knowledge systems must improve interpretability, scalability, domain adaptation, and ethical reliability. Computational models should move beyond identifying relationships toward providing meaningful explanations and supporting evidence-based reasoning. Additionally, greater attention is required toward

developing frameworks that allow researchers from different disciplines to collaboratively interact with intelligent knowledge environments.

Future developments may involve hybrid architectures combining symbolic knowledge structures with neural learning methods. These systems could provide more transparent reasoning capabilities while maintaining the adaptability of modern artificial intelligence techniques. As scholarly communication continues to expand digitally, advanced knowledge systems will likely become essential infrastructures for organizing global research activities.

In conclusion, contemporary knowledge systems represent a major evolution in scholarly development. By integrating knowledge representation, intelligent extraction, and collaborative frameworks, these systems provide new possibilities for scientific discovery and interdisciplinary innovation. Their future success will depend on achieving a balance between computational efficiency, human interpretability, and responsible knowledge development.

References

1. Bordes A, Usunier N, Garcia-Duran A, et al, Translating embeddings for modeling multi-relational data. Proc of NIPS. Cambridge, MA : MIT Press 2787–2795 (2013).
2. Development Report of Knowledge Graph in 2018, Chinese Information Processing Society of China (2018).
3. GATE/ANNIE, <https://www.gate.ac.uk/ie/annie.html>, last accessed 2019 / 11 / 15.
4. Han A L F, Wong D F, Chao L S, Chinese named entity recognition with conditional random fields in the light of Chinese characteristics, Intelligent Information Systems Symposium, Springer, Berlin, Heidelberg 57–68 (2013).
5. Hu Yunquan, Guo Yaohuang, Operations Research course. Beijing : Tsinghua University Press (2012).
6. Lample G, Ballesteros M, Subramanian S, et al, Neural Architectures for Named Entity Recognition, Proceedings of NAACL-HLT 260–270 (2016).
7. Lin Y, Liu Z, Sun M, et al, Learning entity and relation embeddings for knowledge graph completion. Proc of AAAI Menlo Park, CA : AAAI 181–2187 (2015).
8. Liu Zhiyuan, Sun Maosong, Lin Yankai, Xie Ruobing, Knowledge Representation Learning: A Review. Journal of Computer Research and Development 53 (2): 247–261 (2016).
9. Riedel S, Yao L, McCallum A, et al. Relation extraction with matrix factorization and universal schemas. Proceedings of the 2013 Conference of the North American Chapter of the Association for Computational Linguistics, Stroudsburg : ACL 74–84 (2013).
10. Santos C, Bing X, Zhou B, Classifying Relations by Ranking with Convolutional Neural Networks. Computer Science 86 : 132–137 (2015).
11. Wang Z, Zhang J, Feng J, et al, Knowledge graph embedding by translating on hyperplanes. Proc of AAAI. Menlo Park, CA : AAAI 1112–1119 (2014).
12. Zeng D, Liu K, Chen Y, et al, Distant supervision for relation extraction via piecewise convolutional neural networks, Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing 1753–1762 (2015).