Emerging Innovations
SCIENCE, TECHNOLOGY & SOCIAL STUDIES

Frontiers in Medical and Clinical Sciences - eISSN 2978-3747

Advanced Research in Healthcare Systems, Therapeutic Practices, and Patient-Oriented Biomedical Investigations

Mariana Alves Ribeiro

Federal Institute of Clinical Research and Health Sciences (FICRHS), Department of Internal Medicine and Clinical Epidemiology, Brazil

Received: 29 Aug 2026
Revised: 14 Sep 2026
Accepted: 29 Sep 2026
Published: 03 Oct 2026

Volume 03 **Issue** 10, 2026
Page No - 01-08
DOI: - 10.64917/fmcs/Vol3Iss10-01

Article Citation: Ribeiro, M. A. (2026). Advanced Research in Healthcare Systems, Therapeutic Practices, and Patient-Oriented Biomedical Investigations. Frontiers in Medical and Clinical Sciences, 3(10), 01–08. https://doi.org/10.64917/fmcs/Vol3Iss10-01

Copyright: © 2026 The Authors. Published by FMCS under the Creative Commons CC BY License

Abstract

The integration of therapeutic practices with modern healthcare research has created new possibilities for patient-centered biomedical investigations. Among various complementary approaches, yoga-based interventions have gained significant attention due to their potential influence on physiological regulation, neurological function, musculoskeletal performance, and chronic disease management. This research paper examines the role of advanced healthcare systems and therapeutic practices through an analytical evaluation of yoga-oriented biomedical investigations, focusing on their clinical relevance, functional mechanisms, and implications for patient care. The study adopts a review-based methodology using previously published research studies that investigate the effects of yoga on pulmonary function, cardiovascular health, metabolic disorders, neuromuscular activity, rehabilitation, and quality of life.

The analysis synthesizes evidence from controlled trials, systematic reviews, and experimental investigations to understand how therapeutic interventions can contribute to integrated healthcare models. Existing research demonstrates that yoga practices may support autonomic regulation, improve respiratory efficiency, enhance muscular coordination, and influence cardiovascular risk factors. Studies examining heart rate variability, breathing techniques, and physiological responses indicate that mind–body interventions may contribute to improved regulation of stress-related biological mechanisms (Jovanov, 2006; Rajajeyakumar and Balayogi, 2014). Similarly, investigations into chronic disease management highlight the potential of structured therapeutic approaches in improving functional outcomes among individuals with diabetes, cardiovascular conditions, and musculoskeletal disorders (Innes and Selfe, 2016; Desveaux et al., 2015).

The research further explores the technological and biomedical dimensions associated with patient-oriented investigations, including electromyographic assessment, physiological monitoring, and evidence-based clinical evaluation. Findings suggest that combining traditional therapeutic practices with modern biomedical measurement techniques can provide a more comprehensive understanding of treatment effectiveness. However, limitations remain regarding methodological diversity, standardization of interventions, and long-term clinical validation.

This paper contributes to the emerging field of healthcare innovation by emphasizing the importance of interdisciplinary approaches that integrate therapeutic science, biomedical research, and personalized healthcare strategies. The findings support further investigation into technology-assisted therapeutic frameworks capable of improving preventive healthcare, rehabilitation outcomes, and patient quality of life.

Keywords: Healthcare Innovation; Therapeutic Practices; Biomedical Investigation; Yoga Therapy; Patient-Centered Care; Clinical Research; Physiological Monitoring; Chronic Disease Management; Integrative Medicine

1. Introduction

1.1 Background

Modern healthcare systems are increasingly moving beyond disease treatment toward preventive, personalized, and integrative approaches that address multiple dimensions of human health. Traditional biomedical models have primarily focused on diagnosis, pharmaceutical intervention, and surgical management; however, growing evidence suggests that lifestyle-based therapeutic approaches can contribute significantly to disease prevention, functional improvement, and overall well-being. The emergence of patient-oriented biomedical investigations has encouraged researchers to evaluate therapeutic practices through scientific frameworks involving physiological measurement, clinical assessment, and evidence-based validation.

Yoga-based therapeutic practices represent one such interdisciplinary area where ancient methodologies intersect with contemporary healthcare research. Unlike conventional exercise systems, yoga incorporates physical postures, controlled breathing techniques, and mental regulation strategies that may influence multiple biological pathways. Research examining yoga interventions has demonstrated potential benefits in respiratory function, cardiovascular regulation, muscular activity, and psychological health. Woodyard (2011) highlighted that yoga-based approaches may improve quality of life by influencing physical and psychological health dimensions through systematic practice.

The development of advanced healthcare systems requires approaches capable of addressing complex chronic conditions that involve multiple physiological and behavioral factors. Conditions such as diabetes, cardiovascular disorders, arthritis, and neurological impairments often require long-term management strategies rather than isolated medical interventions. Studies investigating yoga applications in chronic disease management indicate that therapeutic practices may serve as supportive interventions alongside conventional treatment approaches (Desveaux et al., 2015). These findings emphasize the importance of evaluating therapeutic methods through rigorous biomedical frameworks.

1.2 Problem Statement

Despite increasing interest in integrative healthcare approaches, several challenges remain regarding the scientific validation and clinical implementation of therapeutic practices. Variations in intervention protocols, limited standardization, and differences in measurement techniques create difficulties in establishing universally applicable clinical guidelines. Furthermore, understanding the mechanisms through which therapeutic practices influence physiological systems requires advanced biomedical investigation.

Although previous studies have examined individual outcomes such as cardiovascular improvement, pulmonary function, and muscular performance, a comprehensive framework connecting therapeutic interventions with patient-centered healthcare systems remains limited. Existing research provides valuable insights but requires further synthesis to understand how different biomedical domains interact within integrated healthcare models.

1.3 Research Relevance

The relevance of this research lies in exploring how advanced healthcare methodologies can incorporate therapeutic practices supported by biomedical evidence. The combination of clinical research, physiological monitoring, and patient-focused evaluation provides opportunities for developing more holistic healthcare strategies.

Investigations into respiratory performance demonstrate that regular yoga practice may influence pulmonary efficiency and functional capacity among healthy individuals (Abel et al., 2013). Similarly, cardiovascular studies suggest that yoga interventions may contribute to improvements in risk factors associated with cardiovascular diseases through physiological regulation and lifestyle modification (Cramer et al., 2014). These findings indicate the importance of examining therapeutic practices through multidisciplinary healthcare perspectives.

1.4 Objectives of the Study

The primary objectives of this research are:

1. To analyze the relationship between therapeutic practices and advanced healthcare systems through biomedical evidence.
2. To evaluate physiological, neurological, and functional outcomes associated with yoga-based interventions.
3. To examine the role of biomedical assessment techniques in validating therapeutic effectiveness.
4. To identify research gaps and future opportunities for patient-oriented healthcare innovation.

1.5 Scope and Significance

This study focuses on the intersection of therapeutic science, biomedical research, and healthcare system development. The scope includes investigations related to respiratory function, cardiovascular regulation, metabolic disorders, rehabilitation, and neuromuscular performance. The significance of this research is based on the potential contribution of evidence-based therapeutic frameworks toward improving preventive healthcare and personalized treatment strategies.

By analyzing existing biomedical investigations, this paper provides insights into how complementary therapeutic approaches can be systematically evaluated and integrated into modern healthcare practices. The findings may support future research involving advanced monitoring technologies, personalized intervention models, and interdisciplinary clinical applications.

2. Literature Review

The integration of therapeutic practices into modern healthcare research has been supported by a growing body of investigations evaluating physiological, clinical, and functional outcomes. The available literature demonstrates that yoga-based interventions have been studied across multiple healthcare domains, including respiratory performance, cardiovascular regulation, metabolic disorders, rehabilitation, and neuromuscular function. The reviewed studies collectively indicate the potential value of therapeutic approaches when examined through evidence-based biomedical frameworks.

Abel et al. (2013) investigated the influence of regular yoga practice on pulmonary function in healthy individuals and highlighted improvements associated with respiratory control and functional capacity. Their findings establish a physiological foundation for examining controlled breathing and postural practices as supportive mechanisms for respiratory health. These outcomes are further supported by research examining yogic breathing patterns and autonomic regulation. Jovanov (2006) analyzed heart rate variability during slow yogic breathing and demonstrated that breathing-based practices may influence cardiovascular autonomic responses. Similarly, Rajajeyakumar and Balayogi (2014) reported immediate effects of different pranayama techniques on short-term heart rate variability, emphasizing the role of respiratory interventions in physiological regulation.

Cardiovascular health represents another significant area of therapeutic investigation. Cramer et al. (2014) conducted a systematic review and meta-analysis evaluating yoga effects on cardiovascular disease risk factors. Their findings suggest that yoga interventions may positively influence several cardiovascular indicators, although variations in study design and intervention methods affect the consistency of outcomes. Hartley et al. (2014) examined yoga for the primary prevention of cardiovascular disease and identified potential benefits while emphasizing the need for stronger clinical evidence. These studies position yoga as a supportive preventive strategy rather than a replacement for conventional cardiovascular treatment.

Research has also explored the application of therapeutic practices in chronic disease management. Innes and Selfe (2016) reviewed controlled trials involving yoga for adults with type 2 diabetes and identified improvements associated with metabolic control, physical functioning, and psychological well-being. Desveaux et al. (2015) further analyzed yoga applications in chronic disease management and suggested that yoga may contribute to improved health outcomes through combined physiological and behavioral mechanisms. However, both studies recognized limitations related to intervention standardization, sample size variation, and long-term follow-up.

Neuromuscular and rehabilitation-focused investigations provide additional evidence regarding the functional impact of therapeutic approaches. Dash and Telles (2001) examined improvements in hand grip strength following yoga training among healthy individuals and rheumatoid arthritis patients, demonstrating potential benefits for muscular performance and functional ability. Nambi and Shah (2013) evaluated the combined effects of Iyengar yoga and electromyographic biofeedback in chronic unilateral knee osteoarthritis, suggesting that integrating therapeutic practices with biomedical monitoring may improve pain management and physical function.

Technological assessment methods have strengthened the scientific evaluation of therapeutic interventions. Electromyographic analysis provides measurable information regarding muscle activation patterns and movement control. Drysdale (2004) examined surface electromyographic activity during abdominal exercises,

while Ruchika and Dhingra (2013) explored parameters measured from EMG signals, supporting the importance of objective physiological assessment in healthcare investigations. Petrofsky et al. (2005) compared muscle activity during yoga breathing exercises and abdominal exercises, highlighting differences in neuromuscular engagement.

Studies involving rehabilitation and special populations further expand the clinical relevance of therapeutic research. Lynton et al. (2007) reviewed yoga applications in stroke rehabilitation and suggested that yoga may support recovery processes through improvements in physical and psychological functioning. Thanuja and Suganthi (2017) investigated integrated yoga effects on cardiovascular parameters during pregnancy, indicating potential applications in specialized healthcare contexts.

Overall, the literature demonstrates a consistent trend toward recognizing therapeutic practices as valuable components of multidisciplinary healthcare systems. However, significant research gaps remain. Existing studies frequently differ in intervention duration, participant characteristics, outcome measurements, and methodological approaches. A unified framework combining biomedical assessment, clinical evaluation, and personalized healthcare strategies is required to establish stronger evidence-based applications.

3. Methodology

3.1 Research Design and Approach

This study adopts a structured review-based research methodology to analyze the relationship between therapeutic practices and patient-oriented biomedical investigations. The methodology is designed to synthesize findings from existing research studies provided in the reference dataset and evaluate their contribution toward advanced healthcare system development.

A qualitative analytical framework is applied to examine research outcomes across different biomedical domains, including respiratory function, cardiovascular regulation, metabolic health, neuromuscular performance, and rehabilitation. Rather than focusing on a single clinical outcome, this approach investigates interconnected physiological effects to understand the broader role of therapeutic practices within healthcare systems.

3.2 Data Source and Literature Selection

The research utilizes only the provided peer-reviewed studies focusing on yoga-based therapeutic interventions and biomedical evaluations. The selected references include systematic reviews, controlled investigations, experimental studies, and conference-based research examining measurable healthcare outcomes.

The literature selection framework categorizes studies into five major analytical areas:

1. Respiratory and autonomic regulation.
2. Cardiovascular and metabolic health.
3. Musculoskeletal and neuromuscular function.
4. Rehabilitation and functional recovery.
5. Biomedical measurement and assessment technologies.

This classification enables comparative analysis of therapeutic mechanisms and healthcare implications.

3.3 Analytical Framework

The study develops an integrated therapeutic healthcare framework consisting of three interconnected components:

Therapeutic Intervention Layer

This layer examines specific practices such as yoga postures, breathing exercises, and structured therapeutic routines. The objective is to understand how these interventions influence physiological systems.

For example, controlled breathing techniques may affect autonomic nervous system regulation by modifying respiratory patterns and cardiovascular responses. Studies examining heart rate variability demonstrate the importance of respiratory mechanisms in understanding therapeutic effects (Jovanov, 2006).

Biomedical Assessment Layer

The second component focuses on objective measurement techniques used to evaluate therapeutic outcomes. Biomedical indicators such as heart rate variability, pulmonary function, electromyographic activity, and cardiovascular parameters provide measurable evidence regarding intervention effectiveness.

EMG-based assessment represents an important methodology for understanding muscle activation and functional improvement. Research involving EMG analysis demonstrates how technological measurements can enhance the reliability of therapeutic evaluations (Ruchika and Dhingra, 2013).

Patient-Centered Healthcare Layer

The final component examines how therapeutic interventions contribute to personalized healthcare approaches. Patient-centered models emphasize individual needs, functional improvement, quality of life, and long-term health management.

Woodyard (2011) emphasized the relationship between yoga-based interventions and quality-of-life improvements, suggesting that healthcare outcomes should extend beyond disease indicators to include overall patient well-being.

3.4 Evaluation Parameters

The effectiveness of therapeutic practices is evaluated using multiple biomedical and clinical parameters:

Physiological Parameters:
Respiratory efficiency, cardiovascular responses, heart rate variability, and metabolic indicators are analyzed to determine systemic effects.

Functional Parameters:
Muscle strength, mobility, pain reduction, and rehabilitation progress are considered indicators of practical healthcare benefits.

Clinical Parameters:
Disease-specific outcomes, patient-reported improvements, and quality-of-life measures are examined to understand therapeutic relevance.

3.5 Limitations of the Methodological Approach

Although the review-based methodology provides comprehensive interpretation of existing evidence, certain limitations must be considered. Variability among study designs, intervention protocols, and measurement approaches restricts direct comparison between investigations. Additionally, differences in participant populations and treatment duration may influence observed outcomes.

Future research should incorporate standardized therapeutic protocols combined with advanced biomedical monitoring systems to generate stronger clinical evidence. Integrating artificial intelligence-based analysis, wearable healthcare technologies, and personalized intervention models may further enhance the effectiveness of patient-oriented therapeutic investigations.

4. Results

The analysis of the selected studies reveals several significant patterns regarding the relationship between therapeutic practices, biomedical assessment, and patient-centered healthcare outcomes. The findings demonstrate that therapeutic interventions, particularly yoga-based approaches, influence multiple physiological systems rather than producing isolated effects. The integration of clinical observations and biomedical measurements indicates potential applications in preventive healthcare, chronic disease management, and rehabilitation.

One major finding identified from the literature is the positive influence of therapeutic breathing and movement practices on autonomic and cardiovascular regulation. Studies examining heart rate variability demonstrate that controlled breathing techniques may affect autonomic balance by enhancing physiological regulation mechanisms. Jovanov (2006) observed measurable changes in heart rate variability during slow yogic breathing, suggesting that respiratory practices can influence cardiovascular control systems. Similarly, Rajajeyakumar and Balayogi (2014) reported short-term improvements in heart rate variability parameters following pranayama practices, supporting the relationship between controlled breathing and autonomic modulation.

The findings related to cardiovascular health indicate that yoga-based interventions may provide supportive benefits for individuals at risk of cardiovascular complications. Cramer et al. (2014) identified improvements in cardiovascular risk factors through yoga interventions, while Hartley et al. (2014) highlighted its potential role in preventive cardiovascular strategies. However, the findings also indicate that therapeutic practices should be considered complementary approaches integrated with established medical care rather than independent replacements for conventional treatment.

Respiratory function represents another important outcome area. Abel et al. (2013) demonstrated that regular yoga practice may contribute to improved pulmonary function among healthy individuals. These findings suggest that respiratory-focused therapeutic techniques may enhance breathing efficiency, respiratory muscle coordination, and overall pulmonary performance. The physiological mechanisms may involve improved breathing patterns, increased respiratory awareness, and enhanced control over respiratory muscles.

The investigation of chronic disease management revealed that therapeutic practices may contribute to improved disease-related outcomes. Innes and Selfe (2016) identified beneficial effects of yoga interventions among individuals with type 2 diabetes, particularly in areas related to physical functioning and metabolic health. Desveaux et al. (2015) similarly reported that yoga-based

interventions may support chronic disease management through combined physical and psychological mechanisms.

Neuromuscular findings indicate that therapeutic practices can influence muscular strength, coordination, and functional ability. Dash and Telles (2001) reported improvements in hand grip strength following yoga training among healthy participants and individuals with rheumatoid arthritis. These findings suggest that therapeutic movement practices may contribute to maintaining or improving muscular performance. Research involving electromyographic analysis further supports this interpretation by providing objective measurements of muscle activation patterns. Petrofsky et al. (2005) demonstrated variations in muscle activity during yoga breathing exercises compared with conventional abdominal exercises, indicating differences in neuromuscular engagement.

Rehabilitation-focused findings indicate potential applications for therapeutic practices among individuals recovering from functional impairments. Lynton et al. (2007) suggested that yoga may contribute to stroke rehabilitation by supporting physical recovery and psychological adaptation. Similarly, Nambi and Shah (2013) found that combining Iyengar yoga with EMG biofeedback could provide additional benefits for individuals with chronic knee osteoarthritis.

The overall findings indicate that therapeutic interventions demonstrate multidimensional effects involving physiological regulation, functional improvement, and patient well-being. However, variations in research methodology, sample sizes, intervention duration, and assessment methods remain important limitations. The evidence supports continued investigation using standardized protocols and advanced biomedical technologies.

5. Discussion

The findings of this study highlight the emerging importance of integrating therapeutic practices with advanced biomedical healthcare systems. The reviewed evidence suggests that therapeutic interventions can influence multiple biological mechanisms, including autonomic regulation, muscular activation, cardiovascular function, and metabolic control. These multidimensional effects support the development of healthcare models that combine preventive strategies with personalized patient management.

One significant implication of the findings is the potential role of therapeutic practices in improving healthcare accessibility and sustainability. Chronic diseases represent complex healthcare challenges requiring continuous management rather than short-term interventions. The evidence from diabetes, cardiovascular disease, and musculoskeletal disorder studies indicates that therapeutic approaches may provide supportive strategies for improving patient outcomes over extended periods (Innes and Selfe, 2016; Desveaux et al., 2015).

The relationship between therapeutic practices and biomedical measurement represents an important advancement in healthcare research. Traditional therapeutic systems have often been evaluated through subjective outcomes, but modern biomedical technologies allow objective analysis of physiological changes. Electromyographic assessment, heart rate variability monitoring, and functional performance measurements provide opportunities to understand mechanisms underlying therapeutic effects. This integration strengthens the scientific foundation of complementary healthcare approaches.

However, critical evaluation reveals several challenges. Although many studies demonstrate positive outcomes, differences in intervention protocols create difficulties in comparing results. Yoga interventions may vary significantly in duration, intensity, participant characteristics, and training methods. Such variations may influence outcomes and limit the generalization of findings. Therefore, future clinical investigations should establish standardized frameworks for therapeutic intervention design.

Another important consideration involves the relationship between therapeutic practices and conventional healthcare systems. While evidence supports the potential benefits of yoga-based interventions, these approaches should function as complementary strategies rather than replacements for evidence-based medical treatments. A balanced healthcare model should integrate therapeutic practices with clinical diagnosis, pharmaceutical management, and technological monitoring.

The findings also emphasize the importance of patient-centered healthcare approaches. Modern healthcare increasingly recognizes that successful treatment involves not only disease control but also improvements in quality of life, psychological well-being, and functional independence. Woodyard (2011) highlighted the broader impact of yoga interventions on quality of life, suggesting that healthcare evaluation should include comprehensive patient outcomes.

Despite promising findings, several limitations remain. Many available studies involve relatively small participant

groups, short intervention periods, or limited geographical populations. Long-term randomized clinical trials with standardized methodologies are required to establish stronger evidence. Additionally, future research should explore how emerging technologies such as digital monitoring platforms and artificial intelligence-based healthcare analysis can improve therapeutic assessment.

Overall, the discussion indicates that therapeutic practices represent a valuable research area within advanced healthcare systems. Their integration with biomedical investigations provides opportunities for developing holistic, evidence-based, and patient-focused healthcare frameworks.

6. Conclusion

The present study examined the relationship between advanced healthcare systems, therapeutic practices, and patient-oriented biomedical investigations through an analysis of existing research evidence. The findings demonstrate that therapeutic approaches, particularly yoga-based interventions, have potential applications across multiple healthcare domains, including cardiovascular regulation, respiratory improvement, chronic disease management, rehabilitation, and neuromuscular enhancement.

The integration of therapeutic practices with biomedical assessment techniques provides a scientific foundation for evaluating their effectiveness. Measurements such as heart rate variability, pulmonary function analysis, and electromyographic evaluation enable deeper understanding of physiological mechanisms associated with therapeutic interventions.

Although existing evidence demonstrates promising outcomes, further research is required to establish standardized protocols and long-term clinical effectiveness. Future healthcare systems should focus on interdisciplinary models combining therapeutic science, biomedical technology, and personalized patient care strategies.

This research contributes to the broader development of healthcare innovation by emphasizing the importance of evidence-based integrative approaches. The future of patient-oriented healthcare may depend on combining advanced biomedical investigations with preventive and therapeutic methodologies capable of addressing complex health challenges.

References

1. Abel AN, Lloyd LK, Williams JS. The effects of regular yoga practice on pulmonary function in healthy individuals: A literature review. J Altern Complement Med. 2013 ; 19 : 185–90.
2. Cramer H, Lauche R, Haller H, Steckhan N, Michalsen A, Dobos G. Effects of yoga on cardiovascular disease risk factors: A systematic review and meta-analysis. Int J Cardiol 2014 ; 173 : 170–83.
3. Cheri.L Drysdale,, Surface electromyographic activity of the abdominal muscle during pelvic tilt and abdominal hollowing exercises, Journal of Athletic training, 39 (1): 32–36, 2004.
4. Dash M, Telles S. Improvement in hand grip strength in normal volunteers and rheumatoid arthritis patients following yoga training. Indian journal of physiology and pharmacology. 2001 Jul ; 45 (3): 355–60.
5. Desai R, Tailor A, Bhatt T. Effects of yoga on brain waves and structural activation: A review. Complement Ther Clin Pract. 2015 ; 21 : 112–8.
6. Desveaux L, Lee A, Goldstein R, Brooks D. Yoga in the management of chronic disease: A systematic review and meta-analysis. Med Care. 2015 ; 53 : 653–61.
7. Hartley L, Dyakova M, Holmes J, Clarke A, Lee M S, Ernst E, Yoga for the primary prevention of cardiovascular disease. Cochrane Database Syst Rev. 2014 ; 5 : CDO10072.
8. Innes KE, Selfe TK. Yoga for adults with type 2 diabetes: A systematic review of controlled trials. J Diabetes Res 2016. 2016:6979370.
9. Jovanov E. On spectral analysis of heart rate variability during very slow yogic breathing. In2005 IEEE Engineering in Medicine and Biology 27th Annual Conference 2006 Jan 17 (pp. 2467–2470). IEEE.
10. Lynton H, Kligler B, Shiflett S. Yoga in stroke rehabilitation: A systematic review and results of a pilot study. Top Stroke Rehabil 2007 ; 14 : 1–8.
11. Nambi GS, Shah AA. Additional effect of iyengar yoga and EMG biofeedback on pain and functional disability in chronic unilateral knee osteoarthritis. International journal of yoga. 2013 Jul ; 6 (2): 123.
12. Petrofsky JS, Cuneo M, Dial R, Morris A. Muscle activity during yoga breathing exercise compared to abdominal crunches. Journal of Applied Research in Clinical and Experimental Therapeutics. 2005 Nov 1 ; 5 (3): 501.
13. Rajajeyakumar. M, Ananda Balayogi, Immediate effect of different Pranayama on Short term Heart rate variability in Health care students, ISSN- 2320-6039 Vol- 2, International journal of Physiology, Jan-June 2014.
14. Ruchika, Shalini Dhingra, An Explanatory Study of the Parameters to Be Measured From EMG Signal, International Journal Of Engineering And Computer Science ISSN: 2319-7242, Volume 2 Issue 1 Jan 2013.

15. Thanuja ES, Suganthi L. Effect of integrated yoga on cardiovascular parameters during pregnancy. In 2017 International Conference On Intelligent Computing And Control Systems (ICICCS) 2017 Jun 15 (pp. 804–809). IEEE.

16. Woodyard C. Exploring the therapeutic effects of yoga and its ability to increase quality of life. International journal of yoga. 2011 Jul ; 4 (2): 49.